



Maryland

Department of the Environment

Larry Hogan, Governor
Boyd Rutherford, Lt. Governor

Ben Grumbles, Secretary
Horacio Tablada, Deputy Secretary

NOV - 1 2017

Ms. Erin Lauer, Site Director
Diageo North America Global Supply
5001 Washington Boulevard
Baltimore, MD 21227

Re: Renewal Part 70 Operating Permit #24-005-0146
Diageo North America Global Supply

Dear Ms. Lauer:

Enclosed please find the Part 70/Title V Operating Permit and Fact Sheet for Diageo facility located in Relay, MD. The permit will expire on October 31, 2022.

The Code of Maryland Regulations (COMAR) 26.11.03.11 states the following:

If the Department denies a Part 70 permit or issues it with terms and conditions that are objectionable to the applicant, the applicant may request that a contested case hearing be held regarding the permit. This request shall be made to the Department in writing not later than 15 days after the applicant receives notice that the permit has been denied or of the objectionable terms and conditions. The request shall include the basis for the request and refer to any objectionable terms and conditions.

Please note the following revised condition in the Permit under Section II, General Conditions, Number 5, Permit Renewal:

The Permittee shall submit to the Department a completed application for renewal of this Part 70 permit 12 months before the expiration of the permit. Upon submitting a complete application, the Permittee may continue to operate this facility pending final action by the Department on the renewal.

Name
Page 2

If you have any questions, please feel free to call Calvin Chen, the permit manager for this facility, at (410) 537-3230.

Sincerely,

A handwritten signature in black ink, appearing to read "Karen G. Irons".

Karen G. Irons, P.E., Administrator
Air Quality Permits Program
Air & Radiation Management Administration

KGI/jm

Enclosures

cc: Dave Talley, EPA Region III (w/encl)